



1. SHEET JOINTS MUST NOT COINCIDE WITH JOINERY JAMB EDGES UNLESS A CONTROL JOINT IS TO BE FORMED
2. ALL SHEET EDGES SHALL LINE THROUGH AND BE SUPPORTED BY A FRAMING MEMBER
3. LOCATE INTER-STOREY JOINTS AS PER BOARD MANUFACTURERS SPECIFICATIONS
4. STAGGER VERTICAL SHEET JOINTS AT INTER-STOREY JUNCTION
5. HORIZONTAL CONTROL JOINTS AT INTER-STOREY JUNCTIONS
 - 8mm VERTICAL CONTROL JOINTS AT 5.400M CTRS.MAX
 - INTER-STOREY DRAINED JOINTS EVERY THIRD FLOOR

STOJOINTING SYSTEM:
 DOUBLE MESHED JOINTS ON TAPERED SHEET, STOLIT K 1.5/2.0mm FINISHING
 RENDER, STOCOLOR MAXICRYL FACADE PAINT

N.T.S

STO/ MONOTEK	STOARMAT CONSTRUCTION SYSTEM	MFCS 008
	SHEET and SYSTEM LAYOUT	2014

The information contained in this detail is based on our experience and testing and represents the latest information available at the date of issue. This detail is intended for use by the design professional and users of Sto products to assist in developing specific project details to be used in conjunction with a Sto Specification. We reserve the right to alter or update information at any time without prior notice & it is the responsibility of the specifier and/or the project manager to insure that they have the current Sto details and specifications.